



APHICIDE PLUS

Reg. No. / Nr. L8780 N-AR1162

Act No. 36 of 1947 / Wet Nr. 36 van 1947

A SYSTEMIC SUSPENSION
CONCENTRATE INSECTICIDE FOR USE IN
THE HOME GARDEN TO CONTROL
SUCTION INSECTS, AS INDICATED ON
THE LABEL, ON CONIFERS, ROSES AND
OTHER ORNAMENTALS.
(See enclosed pamphlet for full details)

'N SISTEMIESE SUSPENSIE-
KONSENTRAAT INSEKODER VIR
GEBRUIK IN DIE HUISTUIN VIR DIE
BEHEER VAN SUIGENDE INSEKTE, SOOS
OP DIE ETIKET AANGEDUI, OP KONIFERE,
ROSE EN ANDER SIERPLANTE.
(Sien ingeslote pamflet vir volle
besonderhede)

ACTIVE INGREDIENT / AKTIEWE BESTANDDEEL

Imidacloprid (chloro-nicotinyl).....20 g/l.....Imidakloprid (chloro-nikotiniel)

NETT CONTENTS/NETTO INHOUD

20 ml; 50 ml; 100 ml; 200 ml; 500 ml; 1 litre

Agro-Serve (Pty) Ltd trading as EFEKTO™ Reg. No. 1973/000868/07

Distributed by: / Versprei deur

Efekto Care (Pty) Ltd Reg. No. 2009/00635/07

PO Box 652147, BENMORE, 2010

EFEKTO and the EFEKTO logo are trademarks of Agro-Serve (Pty) Ltd.

© Agro-Serve (Pty) Ltd. All rights reserved.

CUSTOMER CARE / KLIËNTEDIENS: Tel: 0861 EFEKTO (333586) OH/KU

info@efekto.co.za / www.efekto.co.za

EMERGENCY NUMBER/NOODNOMMER 0831233911

EMERGENCY NUMBER / NOODNOMMER



0831233911

BEFORE USING THIS PRODUCT PLEASE READ THE LABEL CAREFULLY
LEES ASSEBLIEF DIE ETIKET NOUKEURIG VOORDAT U HIERDIE PRODUK GEBRUIK

BATCH NUMBER / DATE MANUFACTURED / LOTNOMMER / DATUM VERVAARDIG

No.:.....Date:.....

UN number: Not regulated



HARMFUL /
SKADELIK



PAMFLET



APHICIDE PLUS

REG. Nr. L8780 N-AR1162 Wet Nr. 36 van 1947

'N SISTEMIESE SUSPENSIE-KONSENTRAAT INSEKDODER VIR GEBRUIK IN DIE HUISTUIN VIR DIE BEHEER VAN SUIGENDE INSEKTE, SOOS OP DIE ETIKET AANGEDUI, OP KONIFERE, ROSE EN ANDER SIERPLANTE.

AKTIEWE BESTANDEEL

Imidakloprid (chloro-nikotiniel) - 20 g/l

Geregistreer en Versprei deur:

Agro-Serve (Pty) Ltd trading as EFEKTO™ Reg. Nr. 1973/000868/07

Privaatsak X 215, Bryanston, 2021

KLIËNTEDIENS: Tel: 0861 EFEKTO (333586) **NOODNOMMER:** 0831233911

info@efekto.co.za / www.efekto.co.za



WAARSKUWINGS

Hanteer versigtig.

Mag vel- en oogirritasie veroorsaak.

Mag skadelik wees indien ingesluk, ingeasem of deur vel geabsorbeer.

Giftig vir visse en wild.

Giftig vir bye.

Bêre in 'n koel plek agter slot en grendel, weg van voedsel en voer.

Hou buite die bereik van kinders, ongeligte persone en diere.

In geval van vergiftiging ontbied 'n geneesheer en toon hierdie etiket aan hom.

VOORSORGMAATREËLS

Vermyn inaseming van sproeinewel en dampe

Vermyn oog- en velkontak.

Dra beskermende klere en was dit na gebruik.

Was met seep en water na gebruik of toevallige velkontak.

Was besoedelde klere na gebruik.

Moenie eet, drink of rook tydens hantering of toediening en voordat werksklere uitgetrek en hande en gesig gewas is nie.

Maak toedieningsapparaat dadelik skoon na gebruik, en raak ontslae van uitspoelwater waar dit nie gewasse, of weiding, riviere of damme kan besoedel nie.

Voorkom besoedeling van voedsel, voer, eetgerei en drinkwater.

Vernietig die leë houers deur gate daarin te maak of plat te slaan en moet dit nooit vir ander doeleindes gebruik nie.

Hou kinders en troetediere weg van behandelde area tot Aphicide Plus droog is.

SIMPTOME VAN MENSLIKE VERGIFTIGING

Verlaagde spierfunksie, asemhalingsversteurings en bewing en spierkrampe in gevalle van ernstige vergiftiging.

NOODHULPBEHANDELING

Verwyder die persoon van die oorsaak van vergiftiging (na 'n koel, goed geventileerde omgewing). Stel persoon gerus en hou hom stil.

Verwyder besoedelde klere en spoel besmette liggaamsdele met baie seep en koue water af.

Besmette oë moet vir 15 minute of langer met skoon water uitgespoel word.

Indien die middel ingesluk is, moenie braking induseer nie. Spoel mond met water uit en kontak dadelik 'n geneesheer.

NOTA AAN GENEESHEER

Behandel simptome. Monitor respiratoriese en kardiële funksies. Maagspoeling, dan houtskool (carbo medicinalis) en natriumsulfaat.

GEBRUIKSAANWYSINGS

GEBRUIK SLEGS SOOS AANGEDUI

MENGINSTRUKSIES

Voeg die benodigde hoeveelheid konsentraat by die water en roer deeglik. Moenie die spuitmengsel laat oorsaak voor dit gebruik word nie. Moenie brakwater gebruik nie.

GEWAS EN PLAAG	AANBEVOLE DOSIS	METODE EN TOEDIENING
<u>Konifere:</u> Italiaanse sipresluis (<i>Cinara cupressivora</i>)	<u>Bome korter as 2 m:</u> 20 ml/ 1 water / boom <u>Bome tussen 2 en 2,5 m hoog:</u> 40 ml/2 1 water / boom <u>Bome tussen 2,5 en 3 m hoog:</u> 80 ml/4 1 water / boom <u>Bome hoër as 3 m:</u> 150 ml/8 1 water / boom	Behandelings kan voorkomend of korrekatief toegedien word. Jaarlikse voorkomende behandeling word aanbeveel om te verhoed dat plante terugsterf a.g.v plantluisbesmetting. <u>Voorkomend:</u> Begin behandeling gedurende April tot Mei om plantluisbesmetting te voorkom. Dien toe as 'n gronddeurwekingsbehandeling rondom die stambasis van elke boom. Herhaal na sowat twee maande. <u>Korrekatief:</u> Dien toe as 'n gronddeurwekingsbehandeling rondom die stambasis van elke boom wanneer die eerste besmetting opgemerk word. Herhaal na sowat twee maande
<u>Rose:</u> Plantluis	20 ml/ 1 water / roosboom	Dien toe as 'n gronddeurwekingsbehandeling om die stamme van roosbome wanneer eerste tekens van plantluis opgemerk word. Herhaal na sowat twee maande.
Dopluis	10 ml/ 1 water / roosboom	Dien toe as 'n gronddeurwekingsbehandeling om die stamme van dopluis opgemerk word. Herhaal na sowat twee maande.

<p><u>Laag-groeiende sierplante en grondbedekkers:</u> Plantluis en wolluis.</p>	<p>10ml/5 l water / m²</p>	<p>Gebruik 'n gieter en dien 5 liter mengsel per m² toe as 'n gronddeurwekings-behandeling.</p>
<p><u>Sierstruik:</u> Plantluis, wolluis en dopluis.</p>	<p><u>Plante korter as 1 m:</u> 10 ml / 500 ml water / plant</p> <p><u>Plante hoër as 1 m:</u> 20 ml / l water / plant</p>	<p>Dien die mengsel om die stambasis toe as 'n gronddeurwekingsbehandeling.</p> <p>Vir dopluis, moet die behandeling na sowat twee maande herhaal word.</p>

PAMPHLET



APHICIDE PLUS

REG. No. L....., Act No. 36 of 1947

A SYSTEMIC SUSPENSION CONCENTRATE INSECTICIDE FOR USE IN THE HOME GARDEN TO CONTROL SUCKING INSECTS, AS INDICATED ON THE LABEL, ON CONIFERS, ROSES AND OTHER ORNAMENTALS.

ACTIVE INGREDIENT

Imidacloprid (chloro-nicotinyl) - 20 g/l

Registered and Distributed by:

Agro-Serve (Pty) Ltd trading as EFEKTO™ Reg. No. 1973/000868/07

Private Bag X 215, Bryanston, 2021

CUSTOMER CARE Tel: 0861 EFEKTO (333586) **EMERGENCY NUMBER:** 0831233911

info@efekto.co.za / www.efekto.co.za



HARMFUL

WARNINGS

Handle with care.

May cause skin and eye irritation.

May be harmful if swallowed, inhaled or absorbed through the skin.

Toxic to fish and wildlife.

Toxic to bees.

Store in a cool place under lock and key away from food and feed.

Keep out of reach of children, uninformed persons and animals.

In case of poisoning call a doctor and show him this label.

PRECAUTIONS

Avoid inhalation of spray mist / fumes.

Avoid eye and skin contact.

Wear protective clothing and wash this after use.

Wash with soap and water after use or accidental skin contact. Wash contaminated clothing after use.

Do not eat, drink or smoke whilst handling or applying the insecticide or before work clothes have been removed and hands and face washed.

Clean spray applicators immediately after use and dispose of rinse water where it cannot contaminate crops, grazing, rivers or dams.

Prevent contamination of food, feed, eating utensils and drinking water.

Destroy empty container and do not use for any other purpose.

Keep children and pets away from treated area until Aphicide Plus is dry.

SYMPTOMS OF HUMAN POISONING

Depressed muscular tone, respiratory disturbances and trembling and muscular cramps in severe cases of poisoning.

FIRST AID TREATMENT

Remove patient from source of poisoning (to a cool, well ventilated area).

Keep the person calm and reassured.

Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and cold water.

Contaminated eyes should be rinsed with clean water for 15 minutes or longer.

If ingested do not induce vomiting. Rinse mouth with water and contact a doctor immediately.

NOTE TO DOCTOR

Treat symptomatically. Monitor respiratory and cardiac functions. Gastric lavage, then charcoal (carbo medicinalis) and sodium sulphate.

DIRECTIONS FOR USE

USE ONLY AS DIRECTED

MIXING INSTRUCTIONS

Add the required quantity of the concentrate to the water and stir thoroughly. Do not allow spray mixture to stand for any length of time before using. Do not use brackish water.

CROP AND PEST	RECOMMENDED DOSAGE	METHOD OF APPLICATION
<p><u>Conifers:</u> Italian cypress aphid (<i>Cinara cupressivora</i>)</p>	<p><u>Trees less than 2 m tall:</u> 20ml/ ℓ water / tree</p> <p><u>Trees between 2 and 2,5 m tall:</u> 40 ml/2 ℓ water / tree</p> <p><u>Trees between 2,5 and 3 m tall:</u> 80 ml/4 ℓ water / tree</p> <p><u>Trees taller than 3 m:</u> 150 ml/8 ℓ water / tree</p>	<p>Preventive- or corrective treatments can be applied. Yearly preventive treatments are recommended to avoid die-back of trees due to aphid infestations.</p> <p><u>Preventive:</u> Start treatment during April to May to prevent aphid attacks. Apply as a drench around the stem base of each tree. Repeat after approximately two months.</p> <p><u>Corrective:</u> Apply as a soil drench around the stem base of each tree when first signs of infestation are noticed. Repeat after approximately two months.</p>
<p><u>Roses:</u> Aphids</p>	20 ml/ ℓ water / rose bush	Apply as a soil drench around the stems of the rose bushes when first signs of aphids are noticed. Repeat application after approximately two months.
<p>Scale insects</p>	10 ml/ ℓ water / rose bush	Apply as a soil drench around the stems of the rose bushes when first signs of scale insects are noticed. Repeat application after approximately two months.
<p><u>Low growing ornamental plants and ground covers</u></p>		Use a watering can and apply 5 litre mixture per m ² as a soil drench.

Aphids and Mealy bugs	10ml/5 l water / m ²	
-----------------------	---------------------------------	--

<p><u>Ornamental shrubs:</u> Aphids, Mealy bugs and Scale insects</p>	<p><u>Shrubs less than 1 m tall:</u> 10 ml/500 ml water / plant</p> <p><u>Shrubs taller than 1 m:</u> 20 ml / l water / plant</p>	<p>Apply the diluted mixture around the stem base as a soil drench. For Scale insects, repeat the application after approximately two months.</p>
--	---	---

Version 1 October-- 2010