



NO INSECT INDOORS SC

REG NO L 8290 N-AR 0979

ACT No. 36 OF 1947

A PYRETHROID INSECTICIDE AS A SUSPENSION CONCENTRATE FOR THE CONTROL OF HOUSEHOLD INSECTS. CONTROLS COCKROACHES, MOSQUITOS, FLIES, BEDBUGS, ANTS AND FISHMOTHS IN DWELLINGS, ANIMAL HOUSES AND INDUSTRIAL PREMISES

'N PIRETROÏÏED INSEKDODER AS 'N SUSPENSIEKONSENTRAAT VIR DIE BEHEER VAN HUISHOUDELIKE INSEKTE. BEHEER KAKKERLAKKE, MUSKIETE, VLIË, WEELUISE, MIERE EN VISMOTTE IN WONINGS, DIEREHOKKE EN INDUSTRIËLE PERSELE.

IRAC INSECTICIDE GROUP CODE

3

IRAC INSEKDODER GROEP KODE

Active Ingredient / Aktiewe Bestanddeel

deltamethrin..... 25g/ℓ..... deltametrien

NET VOLUME / NETTO VOLUME

Registered and Distributed by / Geregistreer en Versprei deur:
Agro-Serve (Pty) Ld trading as EFEKTO™ Reg. No. 1973/000868/07 Private Bag X 215, Bryanston, 2021

EFEKTO and the EFEKTO logo are trademarks of Agro-Serve (Pty) Ltd.
© Agro-Serve (Pty) Ltd. All rights reserved.

CUSTOMER CARE / KLIËNTEDIENS: Tel: 0861 EFEKTO (www.efekto.co.za)
info@efekto.co.za

EMERGENCY NUMBER / NOODNOMMER
0831233911

BATCH NUMBER / LOTNOMMER

DATE MANUFACTURED / DATUM VERVAARDIG

UN NUMBER: 3082



HARMFUL
SKADELIK



WARNINGS

- Handle the concentrate with care.
- Poisonous when swallowed or inhaled.
- May irritate skin, eyes and cause skin sensitization.
- Do not use on edible crops, foodstuffs or surfaces on which food is handled or stored.
- Keep out of reach of children, uninformed persons and animals.
- Poisonous if absorbed through the skin, swallowed or inhaled
- Toxic to bees fish and other aquatic organisms and wildlife
- Store in a cool place away from food and feed.

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the pest against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty

PRECAUTIONS

- Do not use in the presence of people with known sensitivity to pyrethroids.
- Wear protective clothing when handling concentrate or diluted chemical.
- Wear a face shield when applying the spray mix.
- Avoid contact with the skin and wash spillages from skin immediately.
- Wash with no abrasive soap and water after use or accidental skin contact. Wash contaminated clothing daily.
- Do not smoke, eat or drink whilst mixing or applying chemical, before washing hands and face.
- Avoid spray drift onto surrounding areas and fish ponds
- Do not apply near food, feed stuffs, drinking water and eating utensils.
- Rinse container three times with a volume of water equal to a minimum of 10% of that of the container. Add rinsings to the contents of the spray tank before destroying the container.
- Destroy empty container and never re-use for any other purpose.

DIRECTIONS FOR USE**USE ONLY AS DIRECTED**

Shake container well before measuring the required amount.

PEST	DOSAGE / 5 ℓ WATER	REMARKS
GARDEN Ants	40 ml (Routine Treatment) 80 ml (Heavy Infestation)	Apply with a pressure sprayer or use a sprayer that is suitable. A broad band of insecticide must be applied around the outside of buildings where ants are treated and active nests should also be treated.
HOUSEHOLD AND PUBLIC HEALTH		
FLIES AND MOSQUITOES	40 – 60 ml	RESIDUAL SURFACE SPRAY. Apply as a coarse droplet spray or by means of a paint brush to windowsills and walls. In pigsties, barns and stables, sewage farms and abattoirs, pay particular attention to walls and other places where flies tend to shelter. Apply as a coarse droplet spray or to the point of run off, to walls and ceilings. Apply higher concentration for longer residual and on porous surfaces such as walls plastered with mud.
ANTS and FISHMOTHS Indoors	40 ml (Routine Treatment) 80 ml (Heavy Infestation)	RESIDUAL SURFACE SPRAY: Apply as a coarse droplet spray or by means of a paint brush on to walls and skirting boards, inside cupboards and other places where ants/fishmoths occur.
COCKROACHES American and German	40 ml (Routine Treatment) 80 ml (Heavy Infestation)	Apply with a pressure sprayer or use a sprayer that is suitable for use. Apply as a coarse droplet spray at 5ℓ/100 m ² or to the point of run off, or brush onto surface with a paintbrush. Apply spray mix to skirtings, walls, cupboards as well as all surfaces where insects are noticed. Pay particular attention to cracks and crevices.

BEDBUGS	40 - 80 ml	Apply as a coarse droplet spray or by means of a paintbrush to walls, woodwork, bedsteads and other possible hiding places, but only lightly to mattresses.
----------------	------------	---

WAARSKUWINGS

- Hanteer die konsentraat versigtig
- Giftig indien ingesluk of inaseming.
- Kan vel en oë irriteer en vel sensiteer.
- Moenie op eetbare gewasse, voedsel of oppervlakke gebruik waar voedsel hanteer of gestoor word nie.
- Hou buite bereik van kinders, oningeligte persone en diere
- Giftig indien deur die vel ge-absorbeer, ingesluk of inge-aseem word.
- Giftig vir bye, visse en wild.
- Berg in 'n koel plek weg van voedsel en voer.

Alhoewel hierdie middel omvattend onder 'n groot verskeidenheid toestande getoets is waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie aangesien die werking en effek daarvan beïnvloed kan word deur faktore soos abnormale grond-, klimaats- en bergingstoestande; kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket is nie en die voorkoms van weerstand van die plaag teen die betrokke middel sowel as die metode, tyd en akkuraatheid van toediening. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse plantegroei, die omgewing of vir nadelige effek op mens of dier of vir 'n gebrek aan prestasie van die betrokke middel as gevolg van die versuim van die gebruiker om etiketaanwysings na te kom of as gevolg van die ontstaan van toestande wat nie kragtens die registrasie voorsien kon word nie. Raadpleeg die verskaffer in die geval van enige onsekerheid.

VOORSORGMAATREËLS

- Moenie in die teenwoordigheid van persone gebruik wat sensitiwiteit teenoor piretroides toon nie.
- Dra beskermende klere wanneer konsentraat hanteer word en verdunde spuitmengsel hanteer word.
- Dra 'n gesigsmasker tydens toediening en wanneer spuitmengsel toegedien word.
- Verhoed kontak met die vel en was vermosing van spuitmengsel dadelik af.
- Was met nie skurende seep en water na gebruik en toevallige velkontak. Was gekontamineerde klere daaglik.
- Moenie rook, eet of drink terwyl gemeng of middel aangewend word nie alvorens hande en gesig nie gewas is nie.
- Vermy wegdrywing van spuitmis na aanliggende gebiede en visdamme.
- Moenie naby voedselware, voer, drinkwater of eetgerei spuit nie.
- Spoel houer drie keer met 'n volume gelykstaande aan 'n minimum van 10 % van die van die houer uit. Voeg die spoelwater by die inhoud van die spuit tenk alvorens houer vernietig word.
- Vernietig lee houer en moet nie vir enige ander doel hergebruik nie.

GEBRUIKSAANWYSINGS

GEBRUIK SLEGS SOOS AANGEDUI

Skud houer deeglik voor velangde hoeveelheid afgemeet word.

PLAAG	HOEEVELHEID/ 5 l WATER	OPMERKINGS
TUINE Miere	40 ml (Roetine behandeling) 80 ml (Hoë besmettingsvlak)	Dien toe met 'n drukspuit of gebruik 'n spuit wat geskik is. 'n Breë band insekdoder moet aangewend word rondom die buitekant van geboue waar miere behandel word en aktiewe neste moet ook behandel word.
HUISHOUDELIK EN PUBLIEKE GESONDHEID		
VLIEë EN MUSKIETE	40-60 ml	NAWERKENDE OPPERVLAK-BESPUITING: Dien as 'n growwe druppelbespuiting toe of verf met 'n kwas aan vensterbanke en mure. In varkhokke, skure en stalle, op rioolplase en slagpale, gee besondere aandag aan mure en dakke. Dien 'n hoër konsentrasie toe vir langer nawerking en oppervlaktes soos mure watt poreus is en met modder gepleister is.
MIERE en VISMOTTE Binnenshuis	40 ml (Roetine behandeling) 80 ml (Hoë besmettingsvlak)	NAWERKENDE OPPERVLAK-BESPUITING: Dien as 'n growwe druppelbespuiting toe of verf met 'n kwas aan mure en vloerlyste, in kaste en aan ander plekke waar miere en vismotte voorkom.
KAKKERLAKKE Duitse (Klein soort) Amerikaanse (Groot soort)	40 ml (Roetine behandeling) 80 ml (Hoë besmettingsvlak)	Dien toe met 'n drukspuit of gebruik 'n spuit wat geskik is. Dien toe as growwe druppelbespuiting teen 5l/100 m ² of tot die punt van afloop, of verf aan oppervlaktes met 'n verfkwas. Spuit vloerlyste, mure, kaste asook alle oppervlaktes waar kruipende insekte voorkom of opgemerk

		word. Gee besondere aandag aan krake en barste.
WEELUISE	40-80 ml	Dien as 'n growwe druppelbespuiting toe of verf met 'n kwas aan op mure, houtwerk, beddens en ander moontlike skuilplekke, maar slegs liggies op matrasse.