



**READY-TO-USE
HERBICIDE**

**GEREED-VIR-GEBRUIK
ONKRUIDDODER**



REG. NO. L 4462 N-AR

ACT NO. 36 OF 1947

Roundup[®] RTU is a non-selective, systemic, foliar applied herbicide used to rid pavings, surrounds and edges of unwanted grass and broadleaf weeds.

Roundup[®] RTU is 'n nie-selektiewe sistemiese blaartoegediende onkruidodder wat gebruik word om ongewenste gras en breëblaaronkruid op en om plaveisels en grasrande te dood.

HRAC HERBICIDE GROUP CODE

G

HRAC ONKRUIDDODER GROEP KODE

Active Ingredient / Aktiewe Bestanddeel

Glyphosate (glycine).....15,5 g/l.....Glifosaat (glisien)
(contains isopropylamine salt of glyphosate..... 21 g/l.....bevat isopropielamiensout van glifosaat)

Herbicide Resistance Group G / Onkruidodderweerstandsgroep G

NET VOLUME / NETTO VOLUME

**REGISTERED AND ACTIVE INGREDIENT MANUFACTURED BY / GEREISTREER EN
AKTIEWE BESTANDDEEL VERVAARDIG DEUR:**

Monsanto South Africa (Pty) Ltd
Monsanto Suid-Afrika (Edms) Bpk
PO Box / Posbus 69933, Bryanston 2021
Co. / Mpy Reg. nr / no: 68/01485/07
Tel. no/nr (011) 790 8200

Emergency telephone numbers / Nood telefoon nommers
Office hours / Kantoorure: 011 790 8200
After hours 24 hr international / Na-ure 24 uur internasionaal: 09-1-314-694-4000

Distributed by / Versprei deur:

Agro-Serve (Pty) Ltd trading as EFEKTO[™] Reg. No. 1973/000868/07 Private Bag X 215, Bryanston, 2021
EFEKTO and the EFEKTO logo are trademarks of Agro-Serve (Pty) Ltd.

© Agro-Serve (Pty) Ltd. All rights reserved.

CUSTOMER CARE / KLIËNTEDIENS: Tel: 0861 EFEKTO
info@efekto.co.za / www.efekto.co.za

**BATCH NUMBER / LOTNOMMER
DATE MANUFACTURED / DATUM VERVAARDIG**

Roundup[®] is a registered trademark of Monsanto

WARNINGS

Poisonous to
Store away
Irritating to



ng.
ieed
in.

**CAUTION
VERSIGTI**



Keep out of reach of children, uninformed persons and animals.

PRECAUTIONS

Do not breathe in fumes or spray mist.

In case of accidental contact with skin or eyes, wash immediately with plenty of water and in the case of eyes, get medical attention if necessary.

Prevent spray drift and / or contamination onto susceptible or edible crops, or any other areas not under treatment.

CONTACT WITH LEAVES, GREEN OR IMMATURE BARK AND FRUIT OF DESIRED PLANTS, WHETHER DIRECT OR BY SPRAY DRIFT MUST BE AVOIDED.

Destroy empty container and do not use for any other purpose. Dispose of container in a responsible way.

Do not spray any other pesticides on target areas within 12 hours of ROUNDUP[®] RTU application.

ROUNDUP[®] RTU does not have any pre-emergence soil activity.

Apply evenly to foliage for best results

Do not spray when weeds are wet, covered in dust or wilted.

Rain or irrigation within 6 hours of application can reduce ROUNDUP[®] RTU efficacy on weeds.

RESISTANCE WARNING

For resistance management, ROUNDUP[®] RTU is a group code G herbicide. Any weed population may contain individuals naturally resistant to ROUNDUP[®] RTU and other group code G herbicides. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds may not be controlled by ROUNDUP[®] RTU or any other group code G herbicide.

To delay herbicide resistance:

- Avoid exclusive repeated use of herbicides from the same herbicide group code. Alternate or tank mix with registered products from different herbicide group codes.
- Integrate other control methods (chemical, cultural, biological) into weed control programmes.

For specific information on resistance management contact the registration holder of this product.

DIRECTIONS FOR USE

SHAKE BEFORE USE

Adjust nozzle for full cover spray or direct stream as required. Optimum results are obtained with a fine even droplet distribution on target weeds, avoid run off.

GENERAL INFORMATION

ROUNDUP[®] RTU is a non-selective systemic herbicide being active only when applied to the foliage of the plants. Action is slow- maximum killing effect is only visible from two weeks after application onwards. Apply when weeds are growing vigorously in spring and summer. It is essential to spot spray re-growth of weeds to prevent re-infestation of treated area.

APPLICATION

ROUNDUP[®] RTU herbicide is effective against annual grasses, perennial grasses e.g. kikuyu and common quick grass, annual broadleaf weeds and certain perennial broadleaf weeds and sedges.

WAARSKUWINGS

Giffig indien ingesluk.

Bêre weg van voedsel, voer en eetgerei.

Irriterend vir die vel en oë.

Hou buite bereik van kinders, oningeligte persone en diere.

VOORSORGMAATREËLS

Moet nie spuitnewel inasem nie.

In die geval van toevallige aanraking met die vel of oë, was onmiddellik en herhaaldelik met skoon water en in geval van die oë, verkry mediese behandeling indien nodig.

Voorkom wegdrywing van spuitnewel en / of besoedeling van eetbare gewasse wat nie vir behandeling bedoel is nie.

KONTAK MET BLARE, GROEN OF ONVOLWASSE BAS ASOOK VRUGTE VAN GEWENSTE PLANTE DEUR DIREKTE KONTAK OF SPIITNEWEL MOET VERMY WORD

Vernietig leë houer en moet nooit vir enige ander doel gebruik nie. Vernietig leë houer op 'n verantwoordelike wyse.

Voorkom besoedeling van voedsel, voer, drinkwater en eetgereedskap.

Moet geen plaagbeheermiddels binne 12 uur na gebruik van ROUNDUP[®] RTU op teikenareas toedien nie.

ROUNDUP[®] RTU het geen vooropkomsaktiwiteit in die grond op onkruid nie.

Wend egalig aan vir die beste resultate.

Moet nie op nat, stofbedekte of verlepte onkruid spuit nie.

Reën of besproeiing binne 6 uur na toediening van ROUNDUP[®] RTU mag die effektiwiteit daarvan op onkruid verminder.

WEERSTANDSWAARSKUWINGS

ROUNDUP[®] RTU is 'n groepkode G onkruiddoder. Enige populasie van 'n spesifieke onkruid mag individue insluit wat 'n natuurlike weerstand teen ROUNDUP[®] RTU, of enige ander groepkode G onkruiddoder, het. Indien hierdie onkruiddoders herhaaldelik aangewend word, kan die weerstandbiedende individue uiteindelik die onkruid populasie oorheers. Hierdie weerstandbiedende onkruid sal waarskynlik nie deur ROUNDUP[®] RTU of enige ander groepkode G onkruiddoder beheer word nie.

Om weerstand teen onkruiddoders te vertraag:

- Vermoed die eksklusiewe herhaaldelike gebruik van onkruiddoders met dieselfde groepkode. Wissel af met, of gebruik tenkongsels van produkte in verskillende onkruiddodergroepcodes.
- Integreer ander beheermaatreëls (chemies, verbouing, biologies) in die onkruidbeheerprogram.

Vir spesifieke inligting oor weerstandbestuur kontak die registrasiehouer van hierdie produk.

GEBRUIKSAANWYSINGS

SKUD VOOR GEBRUIK

Verstel spuit vir algehele bedekkingsbespuiting of vir 'n direkte straal, soos benodig. Beste resultate word met 'n fyn, egalige druppelverspreiding op teiken onkruid verkry, voorkom afloop van spuitmengsel.

ALGEMENE INLIGTING

ROUNDUP[®] RTU is 'n nie selektiewe sistemiese onkruiddoder wat slegs aktief is indien dit op die blare van plante gespuit word. Aksie is stadig - die volle effek word eers sigbaar vanaf twee weke van behandeling en daarna. Bespuit onkruid terwyl dit aktief groei in die somer of lente. Dit is nodig om kolbehandeling op hergroei van onkruid toe te dien ten einde herinfestasië te voorkom.

AANWENDING

ROUNDUP[®] RTU onkruiddoder is effektief teen eenjarige grasse, meerjarige grasse, bv. Kikoejoe en Kweek, eenjarige breëblaar onkruid, asook sekere meerjarige breëblaar onkruid en uittjies.