



SNAILFLO

REG. NO. L 1793 / N-AR 0144

ACT NO. 36 OF 1947

W130281

A SUSPENSION CONCENTRATE WITH A CONTACT AND STOMACH POISON ACTION FOR THE CONTROL OF SNAILS AND SLUGS ON AGRICULTURAL CROPS AND IN GARDENS

'N SUSPENSIE KONSENTRAAT MET KONTAK- EN MAAGGIF WERKING VIR DIE BEHEER VAN SLAKKE EN SKULPSLAKKE OP LANDBOUGEWASSE EN IN TUINE

Active Ingredients / Aktiewe Bestanddele

Metaldehyde.....120 g/l.....Metaldehyd
Carbaryl.....80 g/l..... Karbaril

NET VOLUME / NETTO VOLUME

Registered by / Geregistreeer deur:

Agro-Serve (Pty) Ltd trading as EFEKTO™ Reg. No. 1973/000868/07

Distributed by: / Versprei deur

Efekto Care (Pty) Ltd Reg. No. 2009/00635/07

PO Box 652147, BENMORE, 2010

EFEKTO and the EFEKTO logo are trademarks of Agro-Serve (Pty) Ltd.

© Agro-Serve (Pty) Ltd. All rights reserved.

CUSTOMER CARE / KLIËNTEDIENS: Tel: 0861 EFEKTO (333586) OH/KU

info@efekto.co.za / www.efekto.co.za

EMERGENCY NUMBER/NOODNOMMER 0831233911

BATCH NUMBER / LOTNOMMER

DATE MANUFACTURED / DATUM VERVAARDIG

UN NUMBER: 2902



HARMFUL / SKADELIK



WAARSKUWINGS

- STAAK TOEDIENING 14 DAE VOOR OES OP EETBARE GEWASSE.
- Giftig indien ingeneem.
- Giftig vir bye, visse en wild.
- Berg weg van voedsel en voer.
- Hou buite bereik van kinders, oningeligte persone en diere.

VOORSORGMAATREËLS

- Voorkom inaseming van spuitnewel.
- Dra rubberhandskoene en gesigskerm wanneer konsentraat hanteer word.
- Na toevallige velkontak, was deeglik met seep en water.
- Moet nie eet, drink of rook tydens vermenging of toediening of voordat hande en gesig nie gewas is nie.
- Hou pluimvee weg van behandelde area.
- Voorkom besoedeling van voedsel, voer, drinkwater en eetgerei.
- Vernietig leë houer en moet vir geen ander doel hergebruik nie.

GEBRUIKSAANWYSINGS

GEBRUIK SLEGS SOOS AANGEDUI

MENGININSTRUKSIES

- SKUD DIE HOUER DEEGLIK.
- Voeg die korrekte hoeveelheid **SNAILFLO** by die afgemete hoeveelheid water en roer deeglik.
- Roer die verdunde suspensie af en toe tydens toediening.

AANWENDING

- Gebruik 'n gieter met 'n fyn kop.
- Meng 60 ml **SNAILFLO** met 10 liter water en dien toe op 10 m².
- Verseker egalige, deeglike benatting van beide die blare van plante en die grond onder die plante waar slakke en skulpalakke skuil.
- Indien met 'n spuitpomp toegedien, gebruik 60 ml **SNAILFLO** per 10 m² in 'n gerieflike hoeveelheid water.
- Growwe druppels en deeglike benatting is noodsaaklik.
- Wend aan in klam weer wanneer slakke en skulpalakke aktief is.

09.12.2015

- Moet nie voor reën toedien nie en herhaal na swaar reën.
- In die geval van swaar besmetting, herhaal toediening na 7 - 10 dae.

WARNINGS

- **CEASE APPLICATION 14 DAYS PRIOR TO HARVEST ON EDIBLE CROPS.**
- Poisonous when swallowed.
- Toxic to fish, bees and wildlife.
- Store away from food and feed.
- Keep out of reach of children, uninformed persons and animals.

PRECAUTIONS

- Do not inhale spray mist.
- Wear rubber gloves and face shield when handling concentrate.
- Wash with soap and water after accidental skin contact.
- Do not eat, drink or smoke whilst mixing or applying or before washing hands and face.
- Keep poultry out of treated area.
- Prevent contamination of food, feed and eating utensils.
- Destroy empty container and do not use for any other purpose.

DIRECTIONS FOR USE

USE ONLY AS DIRECTED

MIXING INSTRUCTIONS

- SHAKE THE CONTAINER THOROUGHLY.
- Add the correct amount of **SNAILFLO** to the measured quantity of water and stir well.
- Stir the diluted suspension occasionally during application.

APPLICATION

- Use a watering can with a fine rose.
- Mix 60 ml **SNAILFLO** with 10 litres water and apply to 10 m².
- Ensure thorough and even wetting of both the leaves of the plants and the soil under the plants where snails and slugs hide.
- If applied by sprayer, use 60 ml **SNAILFLO** per 10 square metres in a convenient quantity of water.
- Coarse droplets and thorough wetting essential.
- Apply in damp weather when snails and slugs are active.
- Do not apply before rain and repeat after heavy rain.

09.12.2015

- With heavy infestations, repeat application after 7 - 10 days.