

Country: RSA, NAM, BOT, ZAM, MOZ
 Language: English
 Version: 1

SDS Number: 000037
 Issue Date: 2022-08-01
 Print Date: 2024-11-21

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier				
Product form	Ready To Use			
Trade name	No Weed® Paving RTU			
Product code	750ml 32098 (6001379101774)			
Registration Number	L6335 / N-AR0539 / W130188			
SDS Number	000037			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
1.2.1. Relevant identified uses				
Main use category	Weed and Grass Killer.			
Industrial/Professional use spec	Home and Garden.			
Use of the substance/mixture	Herbicide.			
1.2.2. Uses advised against				
	See product label for restrictions.			
1.3. Details of the supplier of the safety data sheet				
	Agro-Serve (Pty) Ltd 15 Diesel Road, Isando, 1600, South Africa PO Box 1189, Isando, 1600, South Africa			
Telephone	+27 861 333 586 08h00 – 17h00 Monday to Friday			
Email	info@efekto.co.za			
Website	www.efekto.co.za			
1.4. Emergency telephone number				
Country	Organisation/Company	Address	Emergency number	Comment
Poisons Centre				
South Africa	Griffon Poisons Centre		082 446 8946	Dr Gerhard H Verdoorn
Spillage				
South Africa	Spill Tech		086 100 0366	


SECTION 2: Hazards identification

2.1. Classification of the substance or mixture				
Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures				
	Not classified as dangerous.			
See Section 16 for the full text of the H statements declared above.				
See Section 11 for more detailed information on health effects and symptoms.				
2.2. Label elements				
Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
Hazard pictograms:	Not Applicable.			
Hazardous components which must be listed on the label:	• Glyphosate			
CLP Signal word:	Not Applicable.			
Hazard statements:	Unclassified			
Precautionary statements:				
General Statements:	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read carefully and follow all instructions.			
Prevention Statements:	P234: Keep only in original container.			
Response Statements:	P391 Collect spillage.			
Storage Statements:	P410: Protect from sunlight.			
Disposal:	P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.			
2.3. Other hazards:				
	None known.			
2.3.1. Potential environmental effects:				
	0% of the mixture consists of ingredient/ingredients of unknown acute toxicity. 0% of the mixture consists of ingredient/ingredients of unknown hazards to the aquatic environment.			
2.4. Appearance and odour (colour/form/odour)				
	Hazy /Liquid, (cloudy) / Chemical			
Refer to section 11 for toxicological and section 12 for environmental information				

Country: RSA, NAM, BOT, ZAM, MOZ
 Language: English
 Version: 1

SDS Number: 000037
 Issue Date: 2022-08-01
 Print Date: 2024-11-21

SECTION 3: Composition/information on ingredients

3.1. Substances					
			Emulsifiable Concentrate (EC)		
			Biocidal product		
3.2. Mixtures				Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Chemical Name	CAS-No.	EC – Number	Conc. % by weight	Classification	Warning Symbols
Glyphosate Isopropylamine salt N-(phosphonomethyl)glycine, IPA salt	38641-94-0	254-056-8	1.55 %	Aquatic Chronic - 2 – (H411)	
Other ingredients (non-hazardous) to 100%			Balance	100 %	
Further information					
Glyphosate Isopropylamine salt	38641-94-0	M-Factor: 10 (acute); 10 (chronic)			
For the full text of the Hazard statements mentioned in this Section, see Section 16.					

SECTION 4: First aid measures

4.1. Description of first aid measures	
General Advice	When possible, have the product container or label with you when calling a poison control centre or doctor or going for treatment.
First-aid measures after inhalation	Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control centre or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.
First-aid measures after skin contact	Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.
First-aid measures after eye contact	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control centre or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.
First-aid measures after ingestion	Immediately call a poison control centre or doctor. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
4.2. Most important symptoms and effects, both acute and delayed	
Headache, nausea, vomiting, anxiety, muscular weakness and diarrhea.	
4.3. Indication of any immediate medical attention and special treatment needed	
Maintain adequate ventilation and oxygenation of the patient. If lavage is performed, suggest endotracheal and/or oesophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. Probable mucosal damage may contraindicate the use of gastric lavage. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control centre or doctor or going for treatment. Skin contact may aggravate pre-existing dermatitis.	

SECTION 5: Firefighting measures

5.1. Extinguishing media	
5.1.1. Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
5.1.2. Unsuitable	Water jet.
5.2. Special hazards arising from the substance or mixture	
Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Carbon monoxide. Carbon dioxide.	
5.3. Advice for firefighters	
Special protective equipment for fire-fighters	
Wear full protective clothing and self-contained breathing apparatus. Do not allow run-off from firefighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.	
5.3. Further information	

Country: RSA, NAM, BOT, ZAM, MOZ
 Language: English
 Version: 1

SDS Number: 000037
 Issue Date: 2022-08-01
 Print Date: 2024-11-21

	In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
5.4. Flash point	Does not flash.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
6.1.1. For non-emergency personnel	
Emergency procedures	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces. Ventilate spillage area. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
	Do not allow to enter soil, waterways or wastewater canal.
6.3. Methods and material for containment and cleaning up	
For containment	Collect spillage.
Methods for cleaning up	For small amounts: Contain with dust binding material and dispose of. For large amounts: Sweep/shovel up. Avoid raising dust. Collect waste in suitable containers, which can be labelled and sealed. Dispose of absorbed material in accordance with regulations. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.
Other information	Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage


7.1. Precautions for safe handling	
Precautions for safe handling	No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store in original container. Keep away from direct sunlight. Protect from freezing.
Storage temperature	>0°C <40°C
7.3. Specific end use(s)	
	Refer to the label and/or leaflet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters				
Components	CAS-No.	Exposure limit(s)	Type of exposure limit	Source
Potassium salt of glyphosate	No known occupational limit values			
RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.				
8.2. Exposure controls				
8.2.1. Appropriate engineering controls:		In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply. Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.		

Country: RSA, NAM, BOT, ZAM, MOZ
 Language: English
 Version: 1

SDS Number: 000037
 Issue Date: 2022-08-01
 Print Date: 2024-11-21

8.2.2. Individual protection measures, such as personal protective equipment:	
8.2.2.1. Hand protection:	Chemical resistant gloves should be used. Gloves should be certified to an appropriate standard. Gloves should have a minimum breakthrough time that is appropriate to the duration of exposure. The breakthrough time of gloves varies according to the thickness, material and manufacturer. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
8.2.2.2. Eye protection:	Safety glasses with side-shields (frame goggles) (e.g. EN 166).
8.2.2.3. Skin and body protection:	Assess the exposure and select chemical resistant clothing based on the potential for contact and the permeation / penetration characteristics of the clothing material. Wash with soap and water after removing protective clothing. Decontaminate clothing before reuse, or use disposable equipment (suits, aprons, sleeves, boots, etc.) Wear as appropriate: impervious protective suit.
8.2.2.4. Respiratory protection:	A combination gas, vapor and particulate respirator may be necessary until effective technical measures are installed. Protection provided by air-purifying respirators is limited. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.
	
8.2.2.5. General protective measures:	Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.
8.2.3. Environmental exposure controls:	Avoid release to the environment. For information regarding environmental exposure controls, see Section 6.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
1. Physical state	Pale white low viscosity liquid
2. Colour	Colourless to yellow
3. Odour	Characteristic
4. Odour threshold	No data available
5. Melting point / Freezing point	No data available
6. Boiling point or initial boiling point and boiling range	No data available
7. Flammability	Non-flammable
8. Lower and upper explosion limit	Not applicable
9. Flash point	does not flash
10. Auto ignition temperature	> 400 °C Method: EEC A.15
11. Decomposition temperature	No data available
12. pH	6.0 – 7.3
13. Kinematic viscosity	No data available
14. Solubility	Immiscible
15. Partition coefficient octanol / water (log value)	No data available
16. Vapour pressure	< 0.0000001 mmHg (25 °C)
17. Density Solubility	Not applicable
18. Relative density	1.0 g/cm ³
19. Particle characteristics	Not applicable
9.2. Other information	
	No additional information available.
9.2.1. Information with regard to physical hazard classes:	
9.2.2. Other safety characteristics:	

SECTION 10: Stability and reactivity

10.1. Reactivity	
	Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.
10.2. Chemical stability	
	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	
	No hazardous reactions when stored and handled according to prescribed instructions.
10.4. Conditions to avoid	
	Extremes of temperature and direct sunlight. Incompatible materials for storage: galvanised steel, unlined mild steel.
10.5. Incompatible materials	

Country: RSA, NAM, BOT, ZAM, MOZ
 Language: English
 Version: 1

SDS Number: 000037
 Issue Date: 2022-08-01
 Print Date: 2024-11-21

	Store only in the original container.
10.6. Hazardous decomposition products	
	Hazardous products of combustion: see section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Formulated Product	
LD50 oral rat	LD50 male rat, > 5,000 mg/kg
LD50 dermal rabbit	LD50 male and female rabbit, > 5,000 mg/kg
LC50 inhalation rat (mg/l)	LC50 rat, > 1.14 mg/l, 4 h
Skin irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Eye irritation	Moderate eye irritation. (Rabbit) Test conducted with a similar formulation.
Sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.
STOT-single exposure	Potassium salt of glyphosate: Based on available data, the classification criteria are not met.
STOT-repeated exposure	Potassium salt of glyphosate did not cause specific target organ toxicity in experimental animal studies.
Aspiration hazard	Based on available data, the classification criteria are not met.
Assessment mutagenicity	Potassium salt of glyphosate is not considered mutagenic.
Assessment carcinogenicity	Potassium salt of glyphosate: Based on available data, the classification criteria are not met. Important comment to IARC Listing: Our expert opinion is that classification as a carcinogen is not warranted.
Assessment toxicity to reproduction	Potassium salt of glyphosate: Based on available data, the classification criteria are not met.
Assessment developmental toxicity	Potassium salt of glyphosate: Based on available data, the classification criteria are not met.
11.2. Information on other hazards	
	The toxicological data refer to a similar formulation.

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general:	Very toxic to aquatic life with long lasting effects.
Glyphosate	
LC50 fish 1	Cyprinus carpio (Carp) 39.9 mg/l static test; Exposure time: 96 h Test conducted with a similar formulation
EC50 Daphnia 1	Daphnia magna (Water flea) 71.8 mg/l static test; Exposure time: 48 h Test conducted with a similar formulation
ErC50 (algae) 1	Selenastrum capricornutum (green algae): 1.8 mg/l Exposure time: 72 h Test conducted with a similar formulation
ErC50 (algae) 2	Raphidocelis subcapitata (freshwater green alga) 1.4 mg/l static test; Exposure time: 72 h Test conducted with a similar formulation
Bees LD50 (oral)	> 180 µg / bee
Bees LC50 (contact)	> 200 µg / bee
Earthworm LC50	Eisenia fetida (earthworms): > 5000 ppm
Birds Oral LD50	Colinus virginianus (Bobwhite quail): > 2000 mg/kg Exposure time: 5 d
Birds LC50 (5-day diet)	Anas platyrhynchos (Mallard duck): > 5000 mg/kg
12.2. Persistence and degradability	
Persistence and degradability	In soil (field), DT50 1- 130 d, depending on edaphic and climatic conditions. In water, DT50 varies from a few to 91 d. Photodegradation in natural water occurs, DT50 33-77 d; no substantial photodegradation in soil was recorded over 31 d. In lab. Whole system with water and sediment, DT50 27-146 d (aerobic), 14-22 d (anaerobic). The major metabolite in soil and water is aminomethylphosphonic acid.
12.3. Bioaccumulative potential	
Log Pow	Bioconcentration potential is low (BCF 95).
Bioaccumulative potential	Potassium salt of glyphosate: Bioconcentration factor (BCF) < 1
12.4. Mobility in soil	
Ecology - soil	Potassium salt of glyphosate: Variable, depends on temperature, soil type, soil moisture, soil pH and organic matter content.

Country: RSA, NAM, BOT, ZAM, MOZ
 Language: English
 Version: 1
















SDS Number: 000037
 Issue Date: 2022-08-01
 Print Date: 2024-11-21

	Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.
12.5. Results of PBT and vPvB assessment	
	Potassium salt of glyphosate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB)
12.6. Endocrine disrupting properties:	
12.7. Other adverse effects:	

SECTION 13: Disposal considerations

13.1. Waste treatment methods		
Waste treatment methods		Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information		Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any indoor or outdoor drain.
Contaminated packaging		Do not re-use empty containers. Place empty container in trash. Follow advice on product label and/or leaflet.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / AND / RID				
ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3082	3082	3082	3082	3082
				
14.2. UN proper shipping name				
Environmentally hazardous substance, liquid, N.O.S. (Glyphosate)	Environmentally hazardous substance, liquid, N.O.S. (Glyphosate)	Environmentally hazardous substance, liquid, N.O.S. (Glyphosate)	Environmentally hazardous substance, liquid, N.O.S. (Glyphosate)	Environmentally hazardous substance, liquid, N.O.S. (Glyphosate)
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLYPHOSATE MIXTURE), 9, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLYPHOSATE MIXTURE), 9, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLYPHOSATE MIXTURE), 9, III, ENVIRONMENTALLY HAZARDOUS	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLYPHOSATE MIXTURE), 9, III, ENVIRONMENTALLY HAZARDOUS	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLYPHOSATE MIXTURE) 9, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
9	9	9	9	9
 	 	 	 	 
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
Effective January 1, 2015, by Special Provision, UN3077 and UN3082 when packaged in inner packages of 5L / 5 KG or less are not subject to the dangerous goods regulations.				

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Registration No.	L6335 / N-AR0539 / W130188
This chemical is a registered pesticide product and is subject to certain labelling requirements under law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label.	

Country: RSA, NAM, BOT, ZAM, MOZ
 Language: English
 Version: 1

SDS Number: 000037
 Issue Date: 2022-08-01
 Print Date: 2024-11-21

Hazard statements:	Do not inhale fumes or spray mist. Do not smoke eat or drink while using. SPRAY DRIFT OR DIRECT CONTACT ONTO LEAVES OR GREEN STEMS OF DESIRABLE PLANTS MUST BE AVOIDED. Can be corrosive to zinc-line spray pumps. Do not store or apply No Weed® Paving RTU spray solutions in galvanized steel or unlined steel (except stainless steel) containers or spray pumps. No Weed® Paving RTU can react with such containers to produce hydrogen gas which may form a highly combustible and explosive gas mixture. Keep out of reach of children, uninformed persons and animals.
WHO-classification:	III (Slightly hazardous)
Classification according to GHS:	Cat. 5
HRAC Insecticide Group Code:	9
15.2. Chemical safety assessment	
	No chemical safety assessment has been carried out.

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments

Full text of H- and EUH-statements:	
H411	Toxic to aquatic life with long lasting effect.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:	

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)			
Health - 1	Flammability - 0	Physical Hazard - 0	PPE -
0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard			

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE	Acute toxicity estimate.
CAS-Nr.	CAS-Nr. Chemical Abstracts Service number.
CEILING	Ceiling Limit Value.
Conc.	Concentration.
EC-No.	European community number.
ECx	Effective concentration to x %.
IATA	International Air Transport Association.
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code).
ICx	Inhibition concentration to x %.
IMDG	International Maritime Dangerous Goods.
LCx	Lethal concentration to x %.
LDx	Lethal dose to x %.
LOEC/LOEL	Lowest observed effect concentration/level.
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships.
N.O.S.	Not otherwise specified.
NOEC/NOEL	No observed effect concentration/level.
OECD	Organization for Economic Co-operation and Development.
OES	Occupational Exposure Standard.
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail.
SK-SEN	Skin sensitiser.
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15-minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
UN	United Nations.
WHO	World health organisation.

No Weed® Paving RTU

Safety Data Sheet

According to (EC) 1907/2006 (REACH) amendment Reg. (EU) 2020/878



Country: RSA, NAM, BOT, ZAM, MOZ
Language: English
Version: 1

SDS Number: 000037
Issue Date: 2022-08-01
Print Date: 2024-11-21

This safety data sheet provides health and safety information. This product is to be used in applications with best use practice. The product information in this data sheet is to the best of our knowledge correct as at the date of publication. Agro-Serve (Pty) Ltd does not accept responsibility for damage caused by incorrect use of this information.

Training and related advice: This document contains important information to ensure the safe storage, handling of this product. It is the responsibility of your organisation to ensure that the information contained in this document is communicated to staff and that all necessary training has been given.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions.

Prepared BY: Nico Lionel van der Westhuis – Technical Support Marketing

SDS EU (REACH Annex II) Update 1 January 2021

End of Safety data Sheet